

PRODUCT LABEL: PYRIMEX EXTRA 400 SC

1. TECHNICAL IDENTIFICATION

- **Trade Name:** PYRIMEX EXTRA 400 SC
- **Active Ingredient:** Pyrimethanil 400 g/L
- **Group:** Systemic fungicide with protective and curative action from the anilinopyrimidine group.
- **Formulation:** Suspension Concentrate (SC).

2. CLASSIFICATION AND SYMBOLS (SAFETY SECTION)

- **Signal Word:** WARNING

- **Pictograms:** GHS07



GHS07

- , GHS09



GHS09

- **Hazard Statements (H-phrases):**

- **H302:** Harmful if swallowed.
- **H317:** May cause an allergic skin reaction.
- **H410:** Very toxic to aquatic life with long-lasting effects.

- **Precautionary Statements (P-phrases):**

- **P102:** Keep out of reach of children.
- **P261:** Avoid breathing dust/fume/gas/mist/vapors/spray.
- **P273:** Avoid release to the environment.
- **P280:** Wear protective gloves/protective clothing/eye protection/face protection.



AGRICO GROUP
Innovation in Agriculture

AGRICO GROUP LTD, SOFIA, BULGARIA

Sofia - 1407, Bulgaria, boul. James Baucher 77

tlf: (3592)9624074

fax: (3592) 9625163;

Email address: agrico.group@gmail.com

- **P302+P352:** IF ON SKIN: Wash with plenty of water and soap.
- **P333+P313:** If skin irritation or rash occurs: Get medical advice/attention.
- **P391:** Collect spillage.
- **P501:** Dispose of contents/container in accordance with local regulations.
- **EUH401:** To avoid risks to human health and the environment, comply with the instructions for use.

3. APPLICATION AND DOSAGE

Crop	Pest	Application Timing	Rate	PHI (Days)
Grapes	Grey mold (<i>Botrytis cinerea</i>)	Preventative before flowering or at first symptoms.	1.0 – 1.5 L/ha	21
Apples, Pears, Peaches	Scab, Powdery mildew	From start of vegetation at risk of infection.	0.75 – 1.0 L/ha	14
Apples, Pears, Peaches	Fruit rot, Monilinia	Before harvest.	1.0 – 1.2 L/ha	14
Tomatoes (Greenhouse)	Grey mold	At first signs of disease.	1.5 – 2.0 L/ha	3
Strawberries	Grey mold	From flowering to ripening.	1.0 L/ha	7

Експортиране в Таблицы

4. FIRST AID

- **Specific Antidote:** Not known. Treatment is symptomatic.
- **If Swallowed:** Rinse mouth with water. Do not induce vomiting. Seek medical attention.
- **If on Skin:** Remove contaminated clothing. Wash thoroughly with soap and water.
- **If in Eyes:** Rinse cautiously with water for at least 15 minutes. Consult a doctor.
- **If Inhaled:** Move person to fresh air. If breathing is difficult, seek medical advice.

5. PERSONAL PROTECTIVE EQUIPMENT (PPE)

- **Hand Protection:** Chemical-resistant gloves (nitrile).

- **Eye Protection:** Safety goggles or face shield.
- **Body Protection:** Protective coverall and rubber boots.
- **Respiratory Protection:** Outdoors – if aerosol risk exists; In greenhouses – respirator mask with A1/A2 filter.

Pictograms:



6. INSTRUCTIONS FOR USE AND OPTIMAL CONDITIONS

- **Mechanism of Action:** Systemic fungicide with protective and curative action. Rapidly absorbed by green plant parts with translaminar movement. Pyrimethanil inhibits the secretion of enzymes by the pathogen necessary for the infection process.
- **Optimal Conditions:** Best efficacy at temperatures between 10°C - 25°C.
- **Rainfastness:** Rainfast 2 hours after application (once dried).
- **Spray Volume:** 200–1000 liters of water per hectare depending on the crop.

7. PREPARATION OF THE WORKING SOLUTION

- **Method:** Fill the spray tank with half the required amount of water.
- **Mixing:** Turn on the agitator. Add the required amount of PYRIMEX EXTRA 400 SC. Top up with the remaining water.
- **Usage:** Use the solution on the day of preparation.
- **Tank Cleaning:** After use, wash the sprayer thoroughly with water and detergent.

8. COMPATIBILITY

- **General Recommendations:** Compatible with most commonly used pesticides.

- **Compatibility Test:** Always perform a physical compatibility test before mixing.
- **Restrictions:** Do not mix with strongly alkaline solutions.

9. PHYTOTOXICITY

- **Crop Safety:** When used at recommended rates, the product is not phytotoxic to the registered crops.

10. ADDITIONAL INFORMATION

- **Color Band:** BLUE SIGNAL BAND (Class III).
- **Manufacturer & Distributor:** Agrico Group Ltd, 77 James Bouchier Blvd, Sofia 1407, Bulgaria; Tel: +35929625680; Email: agrico.group@gmail.com.