

PRODUCT LABEL:

SCAF 250 EC (СКАФ 250 ЕК)

1. TECHNICAL IDENTIFICATION

- **Trade Name:** SCAF 250 EC / СКАФ 250 ЕК
- **Active Ingredient:** Difenoconazole 250 g/l
- **Group:** Systemic fungicide with protective and curative action from the triazole group.
- **Formulation:** Emulsifiable Concentrate (EC).

2. CLASSIFICATION AND SYMBOLS (SAFETY SECTION)

- **Signal Word:** WARNING / ВНИМАНИЕ
- **Pictograms:** GHS07  GHS08  , GHS09 

Hazard Statements (H-phrases):

- **H302:** Harmful if swallowed.
- **H319:** Causes serious eye irritation.
- **H410:** Very toxic to aquatic life with long lasting effects.

Precautionary Statements (P-phrases):

- **P102:** Keep out of reach of children.
- **P273:** Avoid release to the environment.
- **P280:** Wear protective gloves/protective clothing/eye protection/face protection.



AGRICO GROUP
Innovation in Agriculture

AGRICO GROUP LTD, SOFIA, BULGARIA

Sofia - 1407, Bulgaria, boul. James Baucher 77

tlf: (3592)9624074

fax: (3592) 9625163;

Email address: agrico.group@gmail.com

- **P305+P351+P338:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **P391:** Collect spillage.
- **EUH401:** To avoid risks to human health and the environment, comply with the instructions for use.

3. PERSONAL PROTECTIVE EQUIPMENT (PPE) DURING APPLICATION

- **Hand Protection:** Mandatory use of chemically resistant gloves (nitrile or neoprene).
- **Eye Protection:** Wear tightly fitting safety goggles. Use a face shield if there is a risk of splashing during the preparation of the working solution.
- **Skin and Body Protection:** Protective work clothing (coveralls) with long sleeves and closed footwear (rubber boots).
- **Respiratory Protection:**
 - **Outdoors:** A mask is not required under normal conditions unless there is a risk of aerosol inhalation.
 - **In Greenhouses:** Mandatory use of a respiratory mask with an A1 or A2 type filter.

Pictograms:



4. APPLICATION AND DOSAGE

Crop	Target Disease	Dosage	Timing of Application	PHI
Apples and Pears	Apple scab, Powdery mildew	0.15 – 0.20 L/ha	From "mouse ear" stage until 14 days before harvest.	14 days
Vineyards	Powdery mildew (Oidium)	0.12 – 0.20 L/ha	Preventive before flowering or at first signs of symptoms.	21 days
Sugar Beet	Leaf spot (Cercospora)	0.20 – 0.30 L/ha	At first signs of spots on lower leaves.	21 days
Potatoes	Early blight (Alternaria)	0.40 – 0.60 L/ha	At first signs of disease appearance.	14 days

Експортиране в Таблицы

5. FIRST AID

- **Specific Antidote:** No known specific antidote. Treatment is symptomatic.
- **Skin Contact:** Remove contaminated clothing and wash skin with plenty of soap and water.
- **Ingestion:** Rinse mouth with water. Do not induce vomiting. Seek medical attention.
- **Eye Contact:** Rinse immediately with plenty of water for at least 15 minutes. Consult a doctor.

6. INSTRUCTIONS FOR USE AND OPTIMAL CONDITIONS

- **Mechanism of Action:** Systemic fungicide with protective and curative action. It is rapidly absorbed by the green parts of the plant and exhibits translaminar movement.
- **Optimal Conditions:** Best results are achieved at temperatures between **12°C and 25°C**.
- **Rainfastness:** The product is rainfast 2 hours after treatment.
- **Water Volume:** 200–1000 liters of water per hectare (20-100 L/dca).

7. PREPARATION OF THE WORKING SOLUTION

Fill the sprayer tank to half its volume with water. Start the agitator. Add the required amount of **SCAF 250 EC**. Top up with the remaining water. Use the solution on the day of preparation.

- **Cleaning the sprayer:** After use, wash the sprayer thoroughly with water and detergent to remove all residues of **Difenoconazole**.

8. COMPATIBILITY

The product is compatible with most commonly used pesticides. Always perform a physical compatibility test before mixing. **Do not mix with strongly alkaline products.**

9. PHYTOTOXICITY

Not phytotoxic to registered crops when used at the recommended doses.

10. ADDITIONAL INFORMATION

- **Color Band:** A **BLUE SIGNAL BAND** is required (Toxicity Category III).
- **Manufacturer and Distributor:** Agrico Group Ltd, 77 James Bouchier Blvd, Sofia 1407, Bulgaria; Tel: +35929625680; Email: agrico.group@gmail.com.